

Monitoring Point 2 - EPL13426: North West Dam
 Monitoring Point 5 - EPL20121: North West Dam
 Relevant EPL: 20121 & 13426
 Licensee: Dial A Dump (EC) Pty Ltd
 Premises: 1 Kangaroo Avenue Eastern Creek

Monitoring Year		2021				2022				2023				2024			
Monitoring Period		Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4
Pollutant	Units	23-Feb-21	25-May-21	07-Sep-21	17-Dec-21	22-Feb-22											
Ammonia	mg/L	0.11	0.39	0.048	<0.005	0.86											
Arsenic	mg/L	0.003	0.004	0.002	0.002	0.003											
Cadmium	mg/L	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001											
Chromium (total)	mg/L	0.002	0.002	0.002	0.001	0.011											
Copper	mg/L	0.005	0.004	0.006	0.004	0.005											
Electrical conductivity	mg/L	2140	2166	1,619	1200	206											
Lead	mg/L	0.002	0.005	<0.001	0.003	<0.001											
Mercury	mg/L	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005											
Nickel	mg/L	0.005	0.008	0.005	0.005	0.003											
pH	pH	7.93	8.07	8.8	8.03	8.61											
Total organic carbon	mg/L	19	21	12	10	13											
Total suspended solids	mg/L	16	26	5	18	57											
Zinc	mg/L	0.008	0.021	0.009	0.014	0.004											

Disclaimer: Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of the Licensees' knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere or used in any way without prior consent from the Licensees. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

Monitoring Point 3 - EPL13426: South West Dam
 Monitoring Point 6 - EPL20121: South West Dam
 Relevant EPL: 20121 & 13426
 Licensee: Dial A Dump (EC) Pty Ltd
 Premises: 1 Kangaroo Avenue Eastern Creek

Monitoring Year		2021				2022				2023				2024			
Monitoring Period		Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4
Pollutant	Units	23-Feb-21	25-May-21	07-Sep-21	17-Dec-21	22-Feb-22											
Ammonia	mg/L	0.021	0.02	0.80	<0.005	0.010											
Arsenic	mg/L	0.002	0.001	0.001	0.002	0.002											
Cadmium	mgL	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001											
Chromium (total)	mgL	0.002	0.002	0.002	0.001	0.002											
Copper	mgL	0.003	0.003	0.005	0.004	0.005											
Electrical conductivity	mgL	779	566	681	1200	780											
Lead	mgL	0.001	0.002	<0.001	0.003	0.006											
Mercury	mgL	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005											
Nickel	mgL	0.003	0.004	0.003	0.005	0.002											
pH	pH	7.77	8.11	8.81	8.03	8.22											
Total organic carbon	mgL	7	5	12	10	8											
Total suspended solids	mgL	20	10	24	18	54											
Zinc	mgL	0.011	0.016	0.008	0.014	0.03											

Disclaimer: Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of the Licensees' knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere or used in any way without prior consent from the Licensees. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

Monitoring Point 5 - EPL13426: North West Dam Overflow
 Monitoring Point 7 - EPL20121: North West Dam Overflow
 Relevant EPL: 20121 & 13426
 Licensee: Dial A Dump (EC) Pty Ltd
 Premises: 1 Kangaroo Avenue Eastern Creek

Monitoring Year		2021															
Monitoring Date		8/01/2021	2/02/2021	15/02/2021	26/02/2021	10/03/2021	18/03/2021	24/03/2021	15/11/2021								
Pollutant	Units	No overflow				No overflow											
Ammonia	mg/L	0.043	N/A	0.046	0.025	N/A	0.019	0.014	0.08								
pH	pH	8	N/A	7.9	8.3	N/A	8	8.1	8.10								
Total suspended solids	mg/L	6	N/A	12	10	N/A	32	110	8								

Monitoring Year		2022															
Monitoring Date		20/01/2022	25/02/2022	4/03/2022													
Pollutant	Units																
Ammonia	mg/L	0.054	0.052	0.048													
pH	pH	7.7	8.3	8													
Total suspended solids	mg/L	12	81	100													

Monitoring Point 6 - EPL13426: South West Dam Overflow
 Monitoring Point 8 - EPL20121: South West Dam Overflow
 Relevant EPL: 20121 & 13426
 Licensee: Dial A Dump (EC) Pty Ltd
 Premises: 1 Kangaroo Avenue Eastern Creek

Monitoring Year		2021															
Monitoring Date		8/01/2021	2/02/2021	15/02/2021	26/02/2021	10/03/2021	18/03/2021	24/03/2021	9/05/2021	26/08/2021	9/11/2021	23/11/2021	29/11/2021	10/12/2021			
Pollutant	Units	No Overflow															
Ammonia	mg/L	N/A	<0.005	0.042	0.021	0.063	0.046	<0.005	0.08	<0.005	0.04	0.04	0.24	0.078			
pH	pH	N/A	8.5	7.8	8.3	7.8	8.0	8	8.00	7.7	8.1	8.3	8.00	7.3			
Total suspended solids	mg/L	N/A	92	40	6	<5	18	220	26	42	39	14	34	5			

Monitoring Year		2022															
Monitoring Date		13/01/2022	20/01/2022	28/02/2022	7/03/2022												
Pollutant	Units																
Ammonia	mg/L	<0.005	0.17	0.044	0.037												
pH	pH	NR	7.6	7.9	8.3												
Total suspended solids	mg/L	230	14	60	340												