

Dial A Dump (EC) Pty Ltd
Dust Deposition Monitoring



Disclaimer: Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of the Licensees' knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere or used in any way without prior consent from the Licensees. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

Sampled:		August/September 2021	Licensee: Dial A Dump (EC) Pty Ltd			
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek				
		EPL Nos. 20121				
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement	
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.6	
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.9	
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.7	
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.7	
BAM	24 hour averaging period	PM10	µg/m ³	50	Daily average ranged between 0-9	
BAM	Annual averaging period	PM10	µg/m ³	30	18.2	

Sampled:		July/August 2021	Licensee: Dial A Dump (EC) Pty Ltd			
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek				
		EPL Nos. 20121				
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement	
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.7	
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.8	
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.7	
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.7	
BAM	24 hour averaging period	PM10	µg/m ³	50	Daily average ranged between 17-35	
BAM	Annual averaging period	PM10	µg/m ³	30	15.3	

Sampled:		June/July 2021	Licensee: Dial A Dump (EC) Pty Ltd			
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek				
		EPL Nos. 20121				
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement	
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.6	
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.6	
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.6	
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.6	
BAM	24 hour averaging period	PM10	µg/m ³	50	Daily average ranged between 2-38	
BAM	Annual averaging period	PM10	µg/m ³	30	15.6	

Sampled:		May/June 2021	Licensee: Dial A Dump (EC) Pty Ltd			
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek				
		EPL Nos. 20121				
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement	
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	4.1	
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	3.6	
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.9	
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.1	
BAM	24 hour averaging period	PM10	µg/m ³	50	Daily average ranged between 7-43	
BAM	Annual averaging period	PM10	µg/m ³	30	15.8	

Sampled:		April/May 2021	Licensee: Dial A Dump (EC) Pty Ltd			
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek				
		EPL Nos. 20121				
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement	
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	10.8	
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.3	
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.6	
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.4	
BAM	24 hour averaging period	PM10	µg/m ³	50	Daily Average ranged between 9-42	
BAM	Annual averaging period	PM10	µg/m ³	30	16.0	

Sampled:		March/April 2021	Licensee: Dial A Dump (EC) Pty Ltd			
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek				
		EPL Nos. 20121				
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement	
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.4	
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.5	
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.4	
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.6	
BAM	24 hour averaging period	PM10	µg/m ³	50	Daily average ranged between 3-31	
BAM	Annual averaging period	PM10	µg/m ³	30	15.6	

Sampled:		February/March 2021	Licensee: Dial A Dump (EC) Pty Ltd		
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek			
		EPL Nos. 20121			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	46.2
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.5
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	5.1
BAM	24 hour averaging period	PM10	µg/m ³	50	Daily average ranged between 0-22
BAM	Annual averaging period	PM10	µg/m ³	30	15.3

Sampled:		January/February 2021	Licensee: Dial A Dump (EC) Pty Ltd		
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek			
		EPL Nos. 20121			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.4
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.8
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.2
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.2
BAM	24 hour averaging period	PM10	µg/m ³	50	Daily average ranged between 0-32
BAM	Annual averaging period	PM10	µg/m ³	30	14.7

Sampled:		December/January 2021	Licensee: Dial A Dump (EC) Pty Ltd		
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek			
		EPL Nos. 20121			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.9
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	NS
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	3.8
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.3
BAM	24 hour averaging period	PM10	µg/m ³	50	Daily average ranged between 0-31
BAM	Annual averaging period	PM10	µg/m ³	30	17.5

Sampled:		November/December 2020	Licensee: Dial A Dump (EC) Pty Ltd		
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek			
		EPL Nos. 20121			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	3.1
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.9
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	3.8
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.5
BAM	24 hour averaging period	PM10	µg/m ³	50	Daily averages ranged between 0-38
BAM	Annual averaging period	PM10	µg/m ³	30	20.6

Sampled:		October/November 2020	Licensee: Dial A Dump (EC) Pty Ltd		
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek			
		EPL Nos. 20121			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.9
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.4
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	3.3
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.4
BAM	24 hour averaging period	PM10	µg/m ³	50	16.19
BAM	Annual averaging period	PM10	µg/m ³	30	11.79

Sampled:		September/October 2020	Licensee: Dial A Dump (EC) Pty Ltd		
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek			
		EPL Nos. 20121			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.4
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	4.2
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.6
BAM	24 hour averaging period	PM10	µg/m ³	50	16.32
BAM	Annual averaging period	PM10	µg/m ³	30	24.16

Sampled:		August/September 2020	Licensee: Dial A Dump (EC) Pty Ltd		
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek			
		EPL Nos. 20121			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.8
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.5
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.6
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1
BAM	24 hour averaging period	PM10	µg/m ³	50	15.44
BAM	Annual averaging period	PM10	µg/m ³	30	24.19

Sampled:		July/August 2020	Licensee: Dial A Dump (EC) Pty Ltd		
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek			
		EPL Nos. 20121			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.7
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.8
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	3.5
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.4
BAM	24 hour averaging period	PM10	µg/m ³	50	15.03
BAM	Annual averaging period	PM10	µg/m ³	30	24.46

Sampled:		June/July 2020	Licensee: Dial A Dump (EC) Pty Ltd		
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek			
		EPL Nos. 20121			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.1
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.2
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.4
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	Broken jar
BAM	24 hour averaging period	PM10	µg/m ³	50	15.03
BAM	Annual averaging period	PM10	µg/m ³	30	24.42

Sampled:		May/June 2020	Licensee: Dial A Dump (EC) Pty Ltd		
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek			
		EPL Nos. 20121			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.5
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	5.1
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.1
BAM	24 hour averaging period	PM10	µg/m ³	50	13.59
BAM	Annual averaging period	PM10	µg/m ³	30	24.87

Sampled:		April/May 2020	Licensee: Dial A Dump (EC) Pty Ltd		
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek			
		EPL Nos. 20121			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.2
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	3.1
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	5.1
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.4
BAM	24 hour averaging period	PM10	µg/m ³	50	18.32
BAM	Annual averaging period	PM10	µg/m ³	30	25.1

Sampled:		March/April 2020	Licensee: Dial A Dump (EC) Pty Ltd		
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek			
		EPL Nos. 20121			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.6
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	6.9
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	3.1
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.8
BAM	24 hour averaging period	PM10	µg/m ³	50	16.1
BAM	Annual averaging period	PM10	µg/m ³	30	25.4

Sampled:		Feb/March 2020	Licensee: Dial A Dump (EC) Pty Ltd		
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek			
		EPL Nos. 20121			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.1
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.2
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.7
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.3
BAM	24 hour averaging period	PM10	µg/m ³	50	9.52
BAM	Annual averaging period	PM10	µg/m ³	30	26.24

Sampled:		Jan/Feb 2020	Licensee: Dial A Dump (EC) Pty Ltd		
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek			
		EPL Nos. 20121			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	4
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	6.5
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	6.2
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	6.3
BAM	24 hour averaging period	PM10	µg/m ³	50	42.81

BAM	Annual averaging period	PM10	µg/m ³	30	25.8
-----	-------------------------	------	-------------------	----	------

Sampled:		Dec 2019/Jan 2020	Licensee: Dial A Dump (EC) Pty Ltd		
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek			
		EPL Nos. 20121			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.6
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	4.8
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	3.5
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	3.6
BAM	24 hour averaging period	PM10	µg/m ³	50	48.78
BAM	Annual averaging period	PM10	µg/m ³	30	23.6

Sampled:		Nov/Dec 2019	Licensee: Dial A Dump (EC) Pty Ltd		
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek			
		EPL Nos. 20121			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	3.2
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	5.2
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	3.9
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	5.2
BAM	24 hour averaging period	PM10	µg/m ³	50	45.94
BAM	Annual averaging period	PM10	µg/m ³	30	20.65

Sampled:		Oct/Nov 2019	Licensee: Dial A Dump (EC) Pty Ltd		
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek			
		EPL Nos. 20121			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	3.4
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	4.1
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	3
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	3.9
BAM	24 hour averaging period	PM10	µg/m ³	50	28.25
BAM	Annual averaging period	PM10	µg/m ³	30	18.96

Sampled:		Sep/Oct 2019	Licensee: Dial A Dump (EC) Pty Ltd		
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek			
		EPL Nos. 20121			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.1
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.8
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.5
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.7
BAM	24 hour averaging period	PM10	µg/m ³	50	19.15
BAM	Annual averaging period	PM10	µg/m ³	30	18.41

Sampled:		Aug/Sep 2019	Licensee: Dial A Dump (EC) Pty Ltd		
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek			
		EPL Nos. 20121			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.7
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	12.3
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.3
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.2
BAM	24 hour averaging period	PM10	µg/m ³	50	17.47
BAM	Annual averaging period	PM10	µg/m ³	30	18.25

Sampled:		Jul/Aug 2019	Licensee: Dial A Dump (EC) Pty Ltd		
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek			
		EPL Nos. 20121			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.8
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	5.6
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.5
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.7
BAM	24 hour averaging period	PM10	µg/m ³	50	14.93
BAM	Annual averaging period	PM10	µg/m ³	30	18.29

Sampled:		Jun/Jul 2019	Licensee: Dial A Dump (EC) Pty Ltd		
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek			
		EPL Nos. 20121			

Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.4
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.6
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.8
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.7
BAM	24 hour averaging period	PM10	µg/m ³	50	16.93
BAM	Annual averaging period	PM10	µg/m ³	30	18.41

Sampled: May/June 2019		Licensee: Dial A Dump (EC) Pty Ltd			
Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek					
EPL Nos. 20121					
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	6
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.9
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2
BAM	24 hour averaging period	PM10	µg/m ³	50	20.5
BAM	Annual averaging period	PM10	µg/m ³	30	18.3

Sampled: April/May 2019		Licensee: Dial A Dump (EC) Pty Ltd			
Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek					
EPL Nos. 20121					
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.4
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.6
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.1
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.5
BAM	24 hour averaging period	PM10	µg/m ³	50	20.8
BAM	Annual averaging period	PM10	µg/m ³	30	18.5

Sampled: Mar/April 2019		Licensee: Dial A Dump (EC) Pty Ltd			
Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek					
EPL Nos. 20121					
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	3.9
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.1
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	5.3
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	5.6
BAM	24 hour averaging period	PM10	µg/m ³	50	18.2
BAM	Annual averaging period	PM10	µg/m ³	30	18.6

Sampled: Feb/Mar 2019		Licensee: Dial A Dump (EC) Pty Ltd			
Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek					
EPL Nos. 20121					
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.5
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	BROKEN
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	BROKEN
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.6
BAM	24 hour averaging period	PM10	µg/m ³	50	24.7
BAM	Annual averaging period	PM10	µg/m ³	30	18.5

Sampled: Jan/Feb 2019		Licensee: Dial A Dump (EC) Pty Ltd			
Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek					
EPL Nos. 20121					
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.9
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.2
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	3.2
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	3.2
BAM	24 hour averaging period	PM10	µg/m ³	50	19.9
BAM	Annual averaging period	PM10	µg/m ³	30	17.6

Sampled: Dec 2018/Jan 2019		Licensee: Dial A Dump (EC) Pty Ltd			
Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek					
EPL Nos. 20121					
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	BROKEN
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.2
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.1

West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.9
BAM	24 hour averaging period	PM10	µg/m ³	50	17.03
BAM	Annual averaging period	PM10	µg/m ³	30	17.8

Sampled:		Nov/Dec 2018	Licensee: Dial A Dump (EC) Pty Ltd		
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek			
		EPL Nos. 20121			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.7
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	3.3
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.1
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	5.9
BAM	24 hour averaging period	PM10	µg/m ³	50	17.5
BAM	Annual averaging period	PM10	µg/m ³	30	17.8

Sampled:		Oct/Nov 2018	Licensee: Dial A Dump (EC) Pty Ltd		
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek			
		EPL Nos. 20121			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.2
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.5
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.8
BAM	24 hour averaging period	PM10	µg/m ³	50	19.5
BAM	Annual averaging period	PM10	µg/m ³	30	17.2

Sampled:		Sep/Oct 2018	Licensee: Dial A Dump (EC) Pty Ltd		
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek			
		EPL Nos. 20121			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.1
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.3
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.5
BAM	24 hour averaging period	PM10	µg/m ³	50	27
BAM	Annual averaging period	PM10	µg/m ³	30	17.8

Sampled:		Aug/Sep 2018	Licensee: Dial A Dump (EC) Pty Ltd		
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek			
		EPL Nos. 20121			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.8
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.5
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.8
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.7
BAM	24 hour averaging period	PM10	µg/m ³	50	22.3
BAM	Annual averaging period	PM10	µg/m ³	30	17.8

Sampled:		Aug-18	Licensee: Dial A Dump (EC) Pty Ltd		
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek			
		EPL Nos. 20121			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.9
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.1
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.6
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.2
BAM	24 hour averaging period	PM10	µg/m ³	50	17.2
BAM	Annual averaging period	PM10	µg/m ³	30	18.1

Sampled:		Jul/Aug 2018	Licensee: Dial A Dump (EC) Pty Ltd		
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek			
		EPL Nos. 20121			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.9
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.5
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.9
BAM	24 hour averaging period	PM10	µg/m ³	50	18.8
BAM	Annual averaging period	PM10	µg/m ³	30	17.4

Sampled:		Jun/Jul 2018	Licensee: Dial A Dump (EC) Pty Ltd		
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek			
		EPL Nos. 20121			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.8
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.7
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.4
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.5
BAM	24 hour averaging period	PM10	µg/m ³	50	12.6
BAM	Annual averaging period	PM10	µg/m ³	30	17.9

Sampled:		May/Jun 2018	Licensee: Dial A Dump (EC) Pty Ltd		
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek			
		EPL Nos. 20121			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.7
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.2
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.6
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2
BAM	24 hour averaging period	PM10	µg/m ³	50	24.4
BAM	Annual averaging period	PM10	µg/m ³	30	17.6

Sampled:		Apr/May 2018	Licensee: Dial A Dump (EC) Pty Ltd		
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek			
		EPL Nos. 20121			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.2
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.7
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.7
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.2
BAM	24 hour averaging period	PM10	µg/m ³	50	21.2
BAM	Annual averaging period	PM10	µg/m ³	30	17.4

Sampled:		Mar/Apr 2018	Licensee: Dial A Dump (EC) Pty Ltd		
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek			
		EPL Nos. 20121			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.3
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.3
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.2
BAM	24 hour averaging period	PM10	µg/m ³	50	20.9
BAM	Annual averaging period	PM10	µg/m ³	30	16.6

Sampled:		Feb/Mar 2018	Licensee: Dial A Dump (EC) Pty Ltd		
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek			
		EPL Nos. 20121			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.8
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.2
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	5.3
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	3.4
BAM	24 hour averaging period	PM10	µg/m ³	50	17.8
BAM	Annual averaging period	PM10	µg/m ³	30	16.5

Sampled:		Jan/Feb 2018	Licensee: Dial A Dump (EC) Pty Ltd		
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek			
		EPL Nos. 20121			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.3
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.7
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.4
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.2
BAM	24 hour averaging period	PM10	µg/m ³	50	18.2
BAM	Annual averaging period	PM10	µg/m ³	30	17.2

Sampled:		Dic 2017/Jan 2018	Licensee: Dial A Dump (EC) Pty Ltd		
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek			
		EPL Nos. 20121			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2

East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	4.8
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	6
BAM	24 hour averaging period	PM10	µg/m ³	50	15.67
BAM	Annual averaging period	PM10	µg/m ³	30	16.5

Sampled:		Nov/Dic 2017	Licensee: Dial A Dump (EC) Pty Ltd			
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek				
		EPL Nos. 20121				
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement	
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.9	
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.6	
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2	
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.2	
BAM	24 hour averaging period	PM10	µg/m ³	50	8.1	
BAM	Annual averaging period	PM10	µg/m ³	30	15.95	

Sampled:		Oct/Nov 2017	Licensee: Dial A Dump (EC) Pty Ltd			
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek				
		EPL Nos. 20121				
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement	
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.6	
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.6	
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.5	
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2	
BAM	24 hour averaging period	PM10	µg/m ³	50	18.19	
BAM	Annual averaging period	PM10	µg/m ³	30	16.25	

Sampled:		Sep/Oct 2017	Licensee: Dial A Dump (EC) Pty Ltd			
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek				
		EPL Nos. 20121				
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement	
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.7	
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.9	
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	no result	
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	no result	
BAM	24 hour averaging period	PM10	µg/m ³	50	20.33	
BAM	Annual averaging period	PM10	µg/m ³	30	15.91	

Sampled:		Aug /Sep 2017	Licensee: Dial A Dump (EC) Pty Ltd			
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek				
		EPL Nos. 20121				
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement	
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.5	
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	6	
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.1	
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.4	
BAM	24 hour averaging period	PM10	µg/m ³	50	17.3	
BAM	Annual averaging period	PM10	µg/m ³	30	15.9	

Sampled:		Jul/Aug 2017	Licensee: Dial A Dump (EC) Pty Ltd			
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek				
		EPL Nos. 20121				
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement	
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.2	
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.5	
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.1	
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.7	
BAM	24 hour averaging period	PM10	µg/m ³	50	17	
BAM	Annual averaging period	PM10	µg/m ³	30	14.8	

Sampled:		Jun/Jul 2017	Licensee: Dial A Dump (EC) Pty Ltd			
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek				
		EPL Nos. 20121				
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement	
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.7	
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.2	
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.8	
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	<0.1	
BAM	24 hour averaging period	PM10	µg/m ³	50	15.4	
BAM	Annual averaging period	PM10	µg/m ³	30	15.1	

Sampled:		May/June 2017	Licensee: Dial A Dump (EC) Pty Ltd		
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek			
		EPL Nos. 20121			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.1
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.4
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.2
BAM	24 hour averaging period	PM10	µg/m ³	50	13.6
BAM	Annual averaging period	PM10	µg/m ³	30	16

Sampled:		April/May 2017	Licensee: Dial A Dump (EC) Pty Ltd		
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek			
		EPL Nos. 20121			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.6
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.6
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.5
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	Bottle broken
BAM	24 hour averaging period	PM10	µg/m ³	50	16.6
BAM	Annual averaging period	PM10	µg/m ³	30	16.01

Sampled:		March/April 2017	Licensee: Dial A Dump (EC) Pty Ltd		
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek			
		EPL Nos. 20121			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.3
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.9
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.7
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1
BAM	24 hour averaging period	PM10	µg/m ³	50	17.3
BAM	Annual averaging period	PM10	µg/m ³	30	16.02

Sampled:		February/March 2017	Licensee: Dial A Dump (EC) Pty Ltd		
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek			
		EPL Nos. 20121			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.3
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.9
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.7
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1
BAM	24 hour averaging period	PM10	µg/m ³	50	17
BAM	Annual averaging period	PM10	µg/m ³	30	16

Sampled:		January/February 2017	Licensee: Dial A Dump (EC) Pty Ltd		
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek			
		EPL Nos. 20121			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.3
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.3
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.6
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	Funnel Broken
BAM	24 hour averaging period	PM10	µg/m ³	50	20.1
BAM	Annual averaging period	PM10	µg/m ³	30	16

Sampled:		December/January 2017	Licensee: Dial A Dump (EC) Pty Ltd		
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek			
		EPL Nos. 20121			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	3.3
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.5
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.4
BAM	24 hour averaging period	PM10	µg/m ³	50	17.8
BAM	Annual averaging period	PM10	µg/m ³	30	17.4

Sampled:		November/December 2016	Licensee: Dial A Dump (EC) Pty Ltd		
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek			
		EPL Nos. 20121			

Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.2
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.4
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.6
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	Funnel Broken
BAM	24 hour averaging period	PM10	µg/m ³	50	24
BAM	Annual averaging period	PM10	µg/m ³	30	16

Sampled: October/November 2016 Licensee: Dial A Dump (EC) Pty Ltd
Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek
EPL Nos. 20121

Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.4
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.6
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.1
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	Funnel Broken
BAM	24 hour averaging period	PM10	µg/m ³	50	29
BAM	Annual averaging period	PM10	µg/m ³	30	16

Sampled: September/October 2016 Licensee: Dial A Dump (EC) Pty Ltd
Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek
EPL Nos. 20121

Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.5
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.1
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.8
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	4.1
BAM	24 hour averaging period	PM10	µg/m ³	50	15
BAM	Annual averaging period	PM10	µg/m ³	30	15.8

Sampled: August/September 2016 Licensee: Dial A Dump (EC) Pty Ltd
Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek
EPL Nos. 20121

Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.1
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.9
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.6
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.8
BAM	24 hour averaging period	PM10	µg/m ³	50	15
BAM	Annual averaging period	PM10	µg/m ³	30	15.8

Sampled: July / August 2016 Licensee: Dial A Dump (EC) Pty Ltd
Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek
EPL Nos. 20121

Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.7
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.6
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.6
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.8
BAM	24 hour averaging period	PM10	µg/m ³	50	10
BAM	Annual averaging period	PM10	µg/m ³	30	15.8

Sampled: June / July 2016 Licensee: Dial A Dump (EC) Pty Ltd
Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek
EPL Nos. 20121

Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.3
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.4
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	3.6
BAM	24 hour averaging period	PM10	µg/m ³	50	9.9
BAM	Annual averaging period	PM10	µg/m ³	30	15.8

Sampled: May / June 2016 Licensee: Dial A Dump (EC) Pty Ltd
Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek
EPL Nos. 20121

Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.1
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.8
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.2
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2
BAM	24 hour averaging period	PM10	µg/m ³	50	23.6
BAM	Annual averaging period	PM10	µg/m ³	30	15.8

Sampled: April / May 2016 Licensee: Dial A Dump (EC) Pty Ltd
Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek

EPL Nos. 20121					
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.1
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.3
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.2
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.3
BAM	24 hour averaging period	PM10	µg/m ³	50	13.7
BAM	Annual averaging period	PM10	µg/m ³	30	15.8

Sampled: March/April 2016 Licensee: Dial A Dump (EC) Pty Ltd					
Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek					
EPL Nos. 20121					
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.5
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.7
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.1
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.7
BAM	24 hour averaging period	PM10	µg/m ³	50	39
BAM	Annual averaging period	PM10	µg/m ³	30	16

Sampled: February/March 2016 Licensee: Dial A Dump (EC) Pty Ltd					
Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek					
EPL Nos. 20121					
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.3
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.1
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.1
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.5
BAM	24 hour averaging period	PM10	µg/m ³	50	20
BAM	Annual averaging period	PM10	µg/m ³	30	15.7
BAM	Annual averaging period	Total suspended particulate	µg/m ³	90	Not applicable yet

Sampled: January/February 2016 Licensee: Dial A Dump (EC) Pty Ltd					
Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek					
EPL Nos. 20121					
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.9
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	4.3
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.7
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.8
BAM	24 hour averaging period	PM10	µg/m ³	50	0
BAM	Annual averaging period	PM10	µg/m ³	30	15.7

Sampled: December/January 2015-16 Licensee: Dial A Dump (EC) Pty Ltd					
Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek					
EPL Nos. 20121					
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.1
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.2
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.6
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.7
BAM	24 hour averaging period	PM10	µg/m ³	50	16.7
BAM	Annual averaging period	PM10	µg/m ³	30	15.7

Sampled: November/December 2015 Licensee: Dial A Dump (EC) Pty Ltd					
Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek					
EPL Nos. 20121					
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	17.0
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	3.8
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.4
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.8
BAM	24 hour averaging period	PM10	µg/m ³	50	16.7
BAM	Annual averaging period	PM10	µg/m ³	30	15.7

Sampled: October/November 2015 Licensee: Dial A Dump (EC) Pty Ltd					
Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek					
EPL Nos. 20121					
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.7
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.6
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.2
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.9

BAM	24 hour averaging period	PM10	$\mu\text{g}/\text{m}^3$	50	16.7
BAM	Annual averaging period	PM10	$\mu\text{g}/\text{m}^3$	30	16.0

Sampled: September/October 2015 Licensee: Dial A Dump (EC) Pty Ltd					
Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek					
EPL Nos. 20121					
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	$\text{g}/\text{m}^2/\text{month}$	4	1
East DDG	Monthly	Total Insoluble Solids	$\text{g}/\text{m}^2/\text{month}$	4	1
South DDG	Monthly	Total Insoluble Solids	$\text{g}/\text{m}^2/\text{month}$	4	0.7
West DDG	Monthly	Total Insoluble Solids	$\text{g}/\text{m}^2/\text{month}$	4	1.8
BAM	24 hour averaging period	PM10	$\mu\text{g}/\text{m}^3$	50	15.2
BAM	Annual averaging period	PM10	$\mu\text{g}/\text{m}^3$	30	16.0

Sampled: August/September 2015 Licensee: Dial A Dump (EC) Pty Ltd					
Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek					
EPL Nos. 20121					
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	$\text{g}/\text{m}^2/\text{month}$	4	0.4
East DDG	Monthly	Total Insoluble Solids	$\text{g}/\text{m}^2/\text{month}$	4	1
South DDG	Monthly	Total Insoluble Solids	$\text{g}/\text{m}^2/\text{month}$	4	1.9
West DDG	Monthly	Total Insoluble Solids	$\text{g}/\text{m}^2/\text{month}$	4	1.8
BAM	24 hour averaging period	PM10	$\mu\text{g}/\text{m}^3$	50	15.2
BAM	Annual averaging period	PM10	$\mu\text{g}/\text{m}^3$	30	16.3

Dial A Dump (EC) Pty Ltd
Dust Deposition Monitoring



Disclaimer: Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of the Licensees' knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere or used in any way without prior consent from the Licensees. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

Sampled:		July/August 2015	Licensee: Dial A Dump (EC) Pty Ltd		
Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek					
EPL Nos. 20121					
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.5
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.3
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.7
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.1
BAM	24 hour averaging period	PM10	µg/m ³	50	15.2
BAM	Annual averaging period	PM10	µg/m ³	30	16.4
BAM	Annual averaging period	Total suspended particulate	µg/m ³	90	Not applicable yet

Sampled:		June/July 2015	Licensee: Dial A Dump (EC) Pty Ltd		
Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek					
EPL Nos. 20121					
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	15.7
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.2
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.5
BAM	24 hour averaging period	PM10	µg/m ³	50	15.9
BAM	Annual averaging period	PM10	µg/m ³	30	16.3
BAM	Annual averaging period	Total suspended particulate	µg/m ³	90	Not applicable yet

Sampled:		May/June 2015	Licensee: Dial A Dump (EC) Pty Ltd		
Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek					
EPL Nos. 20121					
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.4
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.3
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.8
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.4
BAM	24 hour averaging period	PM10	µg/m ³	50	15.9
BAM	Annual averaging period	PM10	µg/m ³	30	15.8
BAM	Annual averaging period	Total suspended particulate	µg/m ³	90	Not applicable yet

Sampled:		April/May 2015	Licensee: Dial A Dump (EC) Pty Ltd		
Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek					
EPL Nos. 20121					
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	Broken funnel
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.3
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.8
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	Broken funnel
BAM	24 hour averaging period	PM10	µg/m ³	50	15.9
BAM	Annual averaging period	PM10	µg/m ³	30	16.5
BAM	Annual averaging period	Total suspended particulate	µg/m ³	90	Not applicable yet

Sampled:		March/April 2015	Licensee: Dial A Dump (EC) Pty Ltd		
Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek					
EPL Nos. 20121					
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.6
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.3
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.6
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	4
BAM	24 hour averaging period	PM10	µg/m ³	50	10.9
BAM	Annual averaging period	PM10	µg/m ³	30	17.0
BAM	Annual averaging period	Total suspended particulate	µg/m ³	90	Not applicable yet

Dial A Dump (EC) Pty Ltd
Dust Deposition Monitoring



Disclaimer: Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of the Licensees' knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere or used in any way without prior consent from the Licensees. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

Sampled:		February/March 2015	Licensee: Dial A Dump (EC) Pty Ltd			
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek				
		EPL Nos. 20121				
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement	
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.8	
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.2	
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.5	
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.1	
BAM	24 hour averaging period	PM10	µg/m ³	50	22.5	
BAM	Annual averaging period	PM10	µg/m ³	30	17.1	
BAM	Annual averaging period	Total suspended particulate	µg/m ³	90	Not applicable yet	

Sampled:		January/February 2015	Licensee: Dial A Dump (EC) Pty Ltd			
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek				
		EPL Nos. 20121				
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement	
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.9	
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.6	
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.4	
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.3	
BAM	24 hour averaging period	PM10	µg/m ³	50	31.5	
BAM	Annual averaging period	PM10	µg/m ³	30	17.0	
BAM	Annual averaging period	Total suspended particulate	µg/m ³	90	Not applicable yet	

Sampled:		December 2014/January 2015	Licensee: Dial A Dump (EC) Pty Ltd			
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek				
		EPL Nos. 20121				
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement	
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.3	
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.5	
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.5	
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	3.4	
BAM	24 hour averaging period	PM10	µg/m ³	50	30.3	
BAM	Annual averaging period	PM10	µg/m ³	30	18.0	
BAM	Annual averaging period	Total suspended particulate	µg/m ³	90	Not applicable yet	

Sampled:		November/December 2014	Licensee: Dial A Dump (EC) Pty Ltd			
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek				
		EPL Nos. 20121				
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement	
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2	
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.6	
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.1	
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.2	
BAM	24 hour averaging period	PM10	µg/m ³	50	34.9	
BAM	Annual averaging period	PM10	µg/m ³	30	18.4	
BAM	Annual averaging period	Total suspended particulate	µg/m ³	90	Not applicable yet	

Sampled:		October/November 2014	Licensee: Dial A Dump (EC) Pty Ltd			
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek				
		EPL Nos. 20121				
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement	
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.6	
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.6	
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.3	
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	5.5	
BAM	24 hour averaging period	PM10	µg/m ³	50	27.6	
BAM	Annual averaging period	PM10	µg/m ³	30	18.2	
BAM	Annual averaging period	Total suspended particulate	µg/m ³	90	Not applicable yet	

Dial A Dump (EC) Pty Ltd
Dust Deposition Monitoring



Disclaimer: Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of the Licensees' knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere or used in any way without prior consent from the Licensees. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

Sampled:		September/October 2014	Licensee: Dial A Dump (EC) Pty Ltd			
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek				
		EPL Nos. 20121				
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement	
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	-	
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.4	
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.8	
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.4	
BAM	24 hour averaging period	PM10	µg/m ³	50	-	
BAM	Annual averaging period	PM10	µg/m ³	30	19.1	
BAM	Annual averaging period	Total suspended particulate	µg/m ³	90	Not applicable yet	

Sampled:		August/September 2014	Licensee: Dial A Dump (EC) Pty Ltd			
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek				
		EPL Nos. 20121				
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement	
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.8	
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.2	
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.8	
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.9	
BAM	24 hour averaging period	PM10	µg/m ³	50	-	
BAM	Annual averaging period	PM10	µg/m ³	30	18.8	
BAM	Annual averaging period	Total suspended particulate	µg/m ³	90	Not applicable yet	

Sampled:		July/August 2014	Licensee: Dial A Dump (EC) Pty Ltd			
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek				
		EPL Nos. 20121				
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement	
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.7	
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.1	
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.8	
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.6	
BAM	24 hour averaging period	PM10	µg/m ³	50	-	
BAM	Annual averaging period	PM10	µg/m ³	30	19.2	
BAM	Annual averaging period	Total suspended particulate	µg/m ³	90	Not applicable yet	

Sampled:		June/July 2014	Licensee: Dial A Dump (EC) Pty Ltd			
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek				
		EPL Nos. 20121				
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement	
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.2	
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1	
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.5	
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.5	
BAM	24 hour averaging period	PM10	µg/m ³	50	19.9	
BAM	Annual averaging period	PM10	µg/m ³	30	19.5	
BAM	Annual averaging period	Total suspended particulate	µg/m ³	90	Not applicable yet	

Sampled:		April/June 2014	Licensee: Dial A Dump (EC) Pty Ltd			
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek				
		EPL Nos. 20121				
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement	
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.8	
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.4	
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.4	
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.9	
BAM	24 hour averaging period	PM10	µg/m ³	50	40.2	
BAM	Annual averaging period	PM10	µg/m ³	30	19.6	
BAM	Annual averaging period	Total suspended particulate	µg/m ³	90	Not applicable yet	

Dial A Dump (EC) Pty Ltd
Dust Deposition Monitoring



Disclaimer: Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of the Licensees' knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere or used in any way without prior consent from the Licensees. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

Sampled:		March/April 2014	Licensee: Dial A Dump (EC) Pty Ltd		
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek			
		EPL Nos. 20121			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.1
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.5
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.1
BAM	24 hour averaging period	PM10	µg/m ³	50	12.6
BAM	Annual averaging period	PM10	µg/m ³	30	19.7
BAM	Annual averaging period	Total suspended particulate	µg/m ³	90	Not applicable yet

Sampled:		February/March 2014	Licensee: Dial A Dump (EC) Pty Ltd		
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek			
		EPL Nos. 20121			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.6
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.9
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.9
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	Funnel broken
BAM	24 hour averaging period	PM10	µg/m ³	50	-
BAM	Annual averaging period	PM10	µg/m ³	30	19.3
BAM	Annual averaging period	Total suspended particulate	µg/m ³	90	Not applicable yet

Sampled:		December 2013/January 2014	Licensee: Dial A Dump (EC) Pty Ltd		
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek			
		EPL Nos. 20121			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.6
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.5
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.9
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.8
BAM	24 hour averaging period	PM10	µg/m ³	50	28.7
BAM	Annual averaging period	PM10	µg/m ³	30	19.3
BAM	Annual averaging period	Total suspended particulate	µg/m ³	90	Not applicable yet

Sampled:		November/December 2013	Licensee: Dial A Dump (EC) Pty Ltd		
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek			
		EPL Nos. 20121			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.8
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	3.3
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	4.0
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	4.3
BAM	24 hour averaging period	PM10	µg/m ³	50	22.4
BAM	Annual averaging period	PM10	µg/m ³	30	19.4
BAM	Annual averaging period	Total suspended particulate	µg/m ³	90	Not applicable yet

Sampled:		October/November 2013	Licensee: Dial A Dump (EC) Pty Ltd		
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek			
		EPL Nos. 20121			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.2
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.9
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.2
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.2 (Insects, glass funnel broken)
BAM	24 hour averaging period	PM10	µg/m ³	50	15.7
BAM	Annual averaging period	PM10	µg/m ³	30	19.5
BAM	Annual averaging period	Total suspended particulate	µg/m ³	90	Not applicable yet

Dial A Dump (EC) Pty Ltd
Dust Deposition Monitoring



Disclaimer: Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of the Licensees' knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere or used in any way without prior consent from the Licensees. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

Sampled:		September/October 2013	Licensee: Dial A Dump (EC) Pty Ltd		
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek			
		EPL Nos. 20121			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.2
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.2 (Insects, sample dried out and had broken glass funnel)
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.5
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.3
BAM	24 hour averaging period	PM10	µg/m ³	50	18.4
BAM	Annual averaging period	PM10	µg/m ³	30	18.9
BAM	Annual averaging period	Total suspended particulate	µg/m ³	90	Not applicable yet

Sampled:		August/September 2013	Licensee: Dial A Dump (EC) Pty Ltd		
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek			
		EPL Nos. 20121			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.3
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	3.5
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.0
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.6
BAM	24 hour averaging period	PM10	µg/m ³	50	18.9
BAM	Annual averaging period	PM10	µg/m ³	30	18.4
BAM	Annual averaging period	Total suspended particulate	µg/m ³	90	Not applicable yet

Sampled:		July/August 2013	Licensee: Dial A Dump (EC) Pty Ltd		
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek			
		EPL Nos. 20121			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.9
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.5
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.3
BAM	24 hour averaging period	PM10	µg/m ³	50	18.6
BAM	Annual averaging period	PM10	µg/m ³	30	17.3
BAM	Annual averaging period	Total suspended particulate	µg/m ³	90	Not applicable yet

Sampled:		June/July 2013	Licensee: Dial A Dump (EC) Pty Ltd		
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek			
		EPL Nos. 20121			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.7
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.8
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.7
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.7
BAM	24 hour averaging period	PM10	µg/m ³	50	17.8
BAM	Annual averaging period	PM10	µg/m ³	30	Not applicable yet
BAM	Annual averaging period	Total suspended particulate	µg/m ³	90	Not applicable yet

Sampled:		May/June 2013	Licensee: Dial A Dump (EC) Pty Ltd		
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek			
		EPL Nos. 20121			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.5
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.3
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.1
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.3
BAM	24 hour averaging period	PM10	µg/m ³	50	17
BAM	Annual averaging period	PM10	µg/m ³	30	Not applicable yet
BAM	Annual averaging period	Total suspended particulate	µg/m ³	90	Not applicable yet

Dial A Dump (EC) Pty Ltd
Dust Deposition Monitoring



Disclaimer: Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of the Licensees' knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere or used in any way without prior consent from the Licensees. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

Sampled:		April/May 2013	Licensee: Dial A Dump (EC) Pty Ltd		
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek			
		EPL Nos. 20121			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.8
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.3
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.7
BAM	24 hour averaging period	PM10	µg/m ³	50	16.6
BAM	Annual averaging period	PM10	µg/m ³	30	Not applicable yet
BAM	Annual averaging period	Total suspended particulate	µg/m ³	90	Not applicable yet

Sampled:		March/April 2013	Licensee: Dial A Dump (EC) Pty Ltd		
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek			
		EPL Nos. 20121			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.4
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.3
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.7
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.8
BAM	24 hour averaging period	PM10	µg/m ³	50	16
BAM	Annual averaging period	PM10	µg/m ³	30	Not applicable yet
BAM	Annual averaging period	Total suspended particulate	µg/m ³	90	Not applicable yet

Sampled:		February/March 2013	Licensee: Dial A Dump (EC) Pty Ltd		
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek			
		EPL Nos. 20121			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.7
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.1
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.7
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.6
BAM	24 hour averaging period	PM10	µg/m ³	50	16
BAM	Annual averaging period	PM10	µg/m ³	30	Not applicable yet
BAM	Annual averaging period	Total suspended particulate	µg/m ³	90	Not applicable yet

Sampled:		December 2012/January 2013	Licensee: Dial A Dump (EC) Pty Ltd		
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek			
		EPL Nos. 20121			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.7
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	Broken sample due to wildlife since replaced and relocated
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	No results (unable to access sample due to sighting of snakes) now resolved.
BAM	24 hour averaging period	PM10	µg/m ³	50	31µg/m3 (period max.)
BAM	Annual averaging period	PM10	µg/m ³	30	Not applicable yet
BAM	Annual averaging period	Total suspended particulate	µg/m ³	90	Not applicable yet

Sampled:		November/December 2012	Licensee: Dial A Dump (EC) Pty Ltd		
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek			
		EPL Nos. 20121			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.4
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	7.1
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.3
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	No results (unable to access sample due to sighting of snakes) now resolved.
BAM	24 hour averaging period	PM10	µg/m ³	50	31
BAM	Annual averaging period	PM10	µg/m ³	30	Not applicable yet
BAM	Annual averaging period	Total suspended particulate	µg/m ³	90	Not applicable yet

Dial A Dump (EC) Pty Ltd
Dust Deposition Monitoring



Disclaimer: Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of the Licensees' knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere or used in any way without prior consent from the Licensees. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

Sampled:		September/November 2012	Licensee: Dial A Dump (EC) Pty Ltd		
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek			
		EPL Nos. 20121			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.75
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.05
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.1
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.05
BAM	24 hour averaging period	PM10	µg/m ³	50	11
BAM	Annual averaging period	PM10	µg/m ³	30	Not applicable yet
BAM	Annual averaging period	Total suspended particulate	µg/m ³	90	Not applicable yet

Sampled:		July/August 2012	Licensee: Dial A Dump (EC) Pty Ltd		
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek			
		EPL Nos. 20121			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	6.2
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	No results available
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.8
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1
BAM	24 hour averaging period	PM10	µg/m ³	50	11
BAM	Annual averaging period	PM10	µg/m ³	30	Not applicable yet
BAM	Annual averaging period	Total suspended particulate	µg/m ³	90	Not applicable yet