

Dial A Dump (EC) Pty Ltd
Groundwater Quality Monitoring



Licensee: Dial A Dump (EC) Pty Ltd
 Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek
 EPL Nos. 13426

Disclaimer: Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of the Licensees' knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere or used in any way without prior consent from the Licensees. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

BH15s & BH15As	Pollutant	Units	2015				2016				2017				2018				2019				2020			
			Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4		
	Alkalinity (total) as CaCO3	mg/L	1,250	777	1,030	1,110	1,040	1,060	1,010	1,080	1,100	1,230	1,210	1,180	1,200	1,200	1,200	1,200	1,600	1,600	1,500	1,400	1,600			
	Aluminium (filtered)	mg/L			<0.01				<0.01				<0.01						0.01							
	Arsenic (filtered)	mg/L			0.002				0.001				<0.001						<0.001							
	Barium (filtered)	mg/L			0.056				0.057				0.109						0.11							
	Benzene	µg/L			<1								<1						<1							
	Cadmium (filtered)	mg/L			<0.0001				<0.0001				<0.0001						<0.0001							
	Calcium (filtered)	mg/L	84	76	81	82	85	88	80	75	98	64	85	71	69	68	69	71	74	71	70	62	72			
	Chloride	mg/L	1,310	1,260	1,790	1,360	1,470	1,440	1,170	1,380	1,320	1,370	1,400	1,280	1,400	1,400	1,400	1,300	1,900	2,000	1,800	1,900	1,800			
	Chromium (III+VI) (filtered)	mg/L			<0.001				<0.001				<0.001						<0.001							
	Copper (filtered)	mg/L			<0.001				<0.001				<0.001						0.004							
	EC (field)	uS/cm	5,942	5,610	6,150	5,940	5,790	6,090	6,220	5,520	5,920	4,929	7,912	3,584	6,470	5,865	5,784	5,753	7,622	7,780	7,765	7,225	7,484			
	Ethylbenzene	µg/L			<2				<2				<2						<1							
	Fluoride	mg/L			0.2				0.2		0.2	0.2	0.2	0.2					0.2							
	Lead (filtered)	mg/L			<0.001				<0.001				<0.001						0.001							
	Magnesium (filtered)	mg/L	224	204	198	186	185	178	178	174	188	176	192	182	180	180	180	180	240	230	210	200	210			
	Manganese (filtered)	mg/L			0.053				0.036				0.09						0.14							
	Mercury (filtered)	mg/L			<0.0001				<0.0001				<0.0001						<0.00005							
	Nitrogen (Total Oxidised)	mg/L	0.53	22.2	0.03	0.04	0.03	0.1	0.13	0.05	<0.01	0.07	0.04	0.04	0.058		0.008		0.08	0.04	0.07	0.99	0.1			
	Ammonia	mg/L	0.06	0.01	0.06	0.1	0.06	0.03	0.05	0.07	0.17	0.09	0.09	0.04	0.081	0.049	0.056	0.05	1.0	1.0	1.0	0.39	1.4			
	pH (field)	-	7.26	6.99	7.66	6.73	7.82	7.12	7.66	7.8	7.1	7.12	7.15	7.34	6.95	6.79	7.06	7.84	8.34	7.7	7.38	6.93	7.13			
	Phenolics Total	µg/L																	<0.05							
	Phosphorus	mg/L			<0.01				0.02				<0.01						0.2							
	Potassium (filtered)	mg/L	20	18	16	16	16	16	21	15	16	20	16	16	18	20	18	19	21	20	21	21	20			
	Redox Potential (field)	mV	86.3	23.4	-19	-21.8	-25	-42.4	-69.2	-79.5	-57.6	104.4	-8.5	102.1	45	21.2	-36.1	-35.1	-140.5	-28.6	-118.9	2.7	51.1			
	Sodium (filtered)	mg/L	1,200	1,140	1,160	1,060	1,200	1,070	1,060	1,140	1,140	1,050	1,140	1,020	1,300	1,400	1,300	1,000	1,300	1,400	1,500	1,400	1,500			
	Sulphate	mg/L	244	224	230	205	227	205	182	199	220	244	221	237	210	190	190	200	150	150	140	140	140			
	Toluene	µg/L			<2								<2						<1							
	TOC	mg/L			<1				2				2						2							
	Xylene Total	µg/L			<2								<2													
	Xylene (m & p)	µg/L			<2								<2						<2							
	Xylene (o)	µg/L																								
	Zinc (filtered)	mg/L			0.017				0.01				0.012					0.049								
	C10-C14	µg/L			<50								<50						<50							
	C10-C16	mg/L			<0.1								<0.1						<0.05							
	C15-C28	µg/L			<100								<100						<100							
	C16-C34	mg/L			<0.1								<0.1						<0.1							
	C29-C36	µg/L			<50								<50						<100							
	C34-C40	mg/L			<0.1								<0.1						<0.1							
	C6-C10	mg/L			<0.02								<0.02						<0.01							
	C6-C9	µg/L			<20								<20						<10							
	F2 minus Naphthalene	mg/L			<0.1								<0.1						<0.05							
	C10-C40 (Sum of total)	µg/L			<100								<100						<100							
	+C10-C36 (Sum of total)	µg/L			<50								<50						<100							

Well Destroyed

